May 3, 2006

MEMORANDUM FOR:

**AIS Observers** 

FROM:

**David Potter** 

Branch Chief, FSB

SUBJECT:

Haddock Separator Trawl Net and the Flounder Trawl Net

This memo is intended to clarify and specify how to complete the Trawl Gear Characteristics Log for the Haddock Separator Trawl Net and the Flounder Trawl Net. These nets are required to be used in certain areas during specified times of the year. Therefore, it is important to understand net characteristics, configuration, and utilization of these nets. Obtaining accurate data is important since observer data will be analyzed to determine the efficiency and effectiveness of these nets. The intent of both nets is to increase selectivity thus reduce cod bycatch, while being able to target other healthy fish stocks, such as haddock and some species of flatfish.

#### **Background**

Amendment 13 was developed by the New England Fishery Management Council to implement strategic management objectives thus end overfishing and rebuild NE multispecies stocks in accordance to the Magnuson-Stevens Act. Framework 40-A was developed to provide additional opportunities and economic incentives for NE multispecies vessels to target healthy fish stocks in an effort to help achieve optimum yield from the fishery. Consequently, the economic incentives work to mitigate some of the economic impacts resulting from effort reductions implemented under Amendment 13. Under Framework 40-A, special management programs were developed to allow fishing in otherwise closed areas but with specific requirements and restrictions. One of these requirements is the use of conservation-engineered selective trawl gear that utilizes panels and fish outlets to allow specific fish to escape.


Northeast multispecies vessels fishing with trawl gear in the Eastern U.S./Canada Area must fish with a Haddock Separator Trawl or a Flounder Trawl Net. In addition, the Haddock Separator Trawl must be used in the Eastern Haddock Special Access Program. Currently, under the Emergency Interim Rule, the Haddock Separator Trawl is required for the Regular B-Day At Sea (DAS) Program, unless the vessel has flipped to A-DAS from B-DAS.

NO ATMOSPHERICAL STATE OF THE PROPERTY OF THE

### The Haddock Separator Trawl Net

According to 50 C.F.R. § 648.85, a haddock separator trawl is defined as a groundfish trawl modified to a vertically oriented trouser trawl configuration, with two extensions arranged one over the other, with a codend attached only to the upper extension, and the bottom extension left open with no codend attached. In addition, a horizontal separating panel constructed with a minimum of 6.0 inch diamond mesh must be installed laterally between the selvedges joining the upper and lower panels, extending forward from the front of the trouser junction to the aft edge of the first belly behind the fishing circle.

# Haddock Separator Trawl Images





#### The Flounder Trawl Net

A flounder trawl net is defined as bottom trawl gear meeting the following description: A two-seam, low-rise net constructed with mesh size (in compliance with 50 C.F.R. § 684.80(a)(4)), with the exception that the top panel of the net (the square of the net) contains a section of mesh at least 10 feet long and stretching from selvedge to selvedge (which joins the upper and lower panels of the trawl), composed of at least 12-inch mesh that is inserted no farther than 4.5 meshes behind the headrope.

# The Trawl Gear Characteristics Log

There are two sections of the Trawl Gear Characteristics Log that need special attention when recording the data of these two nets. Confusion of how and what to record in these sections has occurred. The "Excluder/Separator Device" and the "Fish Outlet" section need to be properly completed to accurately describe and identify these nets. The Excluder/Separator Device is the portion of the trawl net that excludes or separates certain species from being caught. Examples of these devices include a grate, excluder device, separator panel, funnel, or raised footrope. The Fish Outlet is used to provide an opening in the net to facilitate escape of certain species, which may or may not be used in conjunction with an excluder device. The separator panel needs only to be checked off as being there or not. The fish outlet includes dimensions, shape, and location. The Haddock Separator Trawl has a separator panel, the flounder net does not. The fish outlet on the Haddock Separator Trawl is the semi-circular open extension where no codend is attached. The fish outlet on the flounder net is the panel of large mesh on the square of the net.

#### Example: Separator Trawl Net

**Separator Device Used** = Yes

**Type** = Separator Panel


Fish Outlet Used = Yes

**Fish Outlet Length** = Record in whole inches, the length of the fish outlet from the front to the back of the net; i.e., record the length of the outer circumference by counting the number of meshes in the semi-circle from one side to the other and multiply the number of meshes by the size of the mesh. You may ask the captain.


**Fish Outlet Width** = Record in whole inches, the width of the fish outlet from side to side of the net; i.e., record the width of the fish outlet by measuring the straight axis of the semicircle. You may ask the captain.

**Fish Outlet Shape** = Record the shape of the fish outlet as "other" and record "semi-circle" in the comment section.





**Location** = Record the location of the fish outlet. Check off "bottom" as this is the most appropriate descriptive code for the fish outlet being on the underside of the net. You may also specify in comments, "Fish outlet was open extension on the lower portion of the net below the anterior of the codend".



Example: Flounder Trawl Net

**Separator Device Used** = No

**Type** = Not filled out since there is none

**Fish Outlet Used** = Yes


**Fish Outlet Length** = Record in whole inches, the length of the fish outlet from the front to the back of the net; i.e. by counting the number of meshes of the top panel from the front to the back of the net, and multiply the number of meshes by the size of the mesh (should be 12-inch mesh of at least 10 meshes long = 120 inches). You may ask the captain.

**Fish Outlet Width** = Record in whole inches, the width of the fish outlet from side to side of the net; i.e. by counting the number of meshes of the top panel from side to side of the net and multiply the number of meshes by the size of the mesh (should be 12-inch mesh from selvedge to selvedge). You may ask the captain.

**Fish Outlet Shape** = Record the shape of the fish outlet. The shape is usually rectangular, but may be square or triangular. Do not confuse this with the shape of the mesh (diamond or square) or the location of the outlet (in the square of the net), as this log example shows.




#### Front side of net = mouth side



Back side of net = codend side

**Location** = Record the location of the fish outlet. For the flounder trawl net, the outlet is in the "top" of the net.



If either of these nets is used, write the net name in the Comments section of the Gear Characteristics Log, such as "Haddock Separator Trawl Net" or "Flounder Trawl Net".

Thank you for your continued attention to this matter. For additional questions, please contact Amy Van Atten at 508-495-2266 or by email at Amy. Van. Atten@noaa.gov.

This memo only references NE multispecies regulations implemented under the Framework 40-A (Final Rule for Fisheries of the Northeastern United States; Northeast Multispecies Fishery; Amendment 13 and Framework Adjustment 40-A April 27, 2004 and correction to that rule December 27, 2005) and the emergency action to reduce fishing mortality on specific groundfish stocks effective May 1, 2006 (April 10, 2006 and April 26, 2006) and should not be considered as a substitute for the actual regulations. Regulations can be seen in their entirety by accessing the Northeast Regional Office's webpage at: http://www.nero.noaa.gov.

Attachment: Trawl Gear Characteristics Log with related fields highlighted



GEAR NUMBER(S)

# NMFS FISHERIES OBSERVER PROGRAM TRAWL GEAR CHARACTERISTICS LOG

TYPE

CONSTRUCTION MATERIAL

	IP ID		
		ANDED mm/yy	1
GEAR MOUN	ITED	EXCLUDER/SEPAR	ATOR DEVICE
		USED? NO 0	YES 1
USED?			
NO 0		TYPE	
YES 1		Unknown	0
		Nordmore Grate	1
NUMBER OF		T.E.D.	2
TRANSDUCE	RS	Separator Panel	3
		Guiding Device	4
		Raised Footrope	5
TYPE		Combination	8
Unknown	0	Other	9
Wired	1		
Wireless	2		
		FISH OUTLET	
BRAND		USED? NO 0	YES 1
Unknown	0		
Furuno®	1		in
Simrad®	2		
Other		WIDTH	in
		SHAPE	
		Unknown	00
LOCATION		Rectangular	01
Unknown	0	Square	06
Headrope	1	Diamond	07
Wings	2		08
Footrope	3	Other	99
Headrope &			
Footrope	4		
Other Combo	8	LOCATION	
Other		Unknown	0
		Тор	1
		Bottom	2
		Side	3
		Combination	8
# OF RECEI\	/ERS	Other	9

Poly   02   Ground Cable   ft   Square   2   YES 1   Nordmore Grate		Unknown	00					Unknown	0	USED?			
Square, Wrapped 3   Squa	GEAR CODE	Nylon	01 _		Footro	ppe/Sweep	ft	Diamond	1	NO 0		TYPE	
Square, Wrapped 3   Squa		Poly	02					Square	2	YES 1		Unknown	0
Spectrag		Kevlar®			Groun	nd Cable	ft	Square, Wrapped				Nordmore Grate	
Tenex8   O5		Spectra®	04					Combination		NUMBER OF		T.E.D.	2
Nonex   Noxex   Noxe	1		0.5		FISHI	NG CIRCLE				TRANSDUCER	RS	Separator Panel	
MO O		Nomex®	06					TWINE TYPE				Guiding Device	4
WEIGHT OF ONE DOOR    Name	NO 0 YES 1 Com	Combination	00		# MES	SHES .		Single	1			Raised Footrope	5
COMMENTS   GROUND CABLE   BRIDLE/LEG   SWEEP   Unknown   0		Other	99 _					Double	2	TYPE		Combination	8
COMMENTS	WEIGHT OF ONE DOOR				MESH	SIZE .	in	Single on Top/	3	Unknown	0	Other	9
COMMENTS   GROUND CABLE   BRIDLE/ LEG   SWEEP   Unknown   0   VES 1   VES 2   VES 2   VES 3   VE								Double on Bottom		Wired	1		
COMMENTS   GROUND CABLE   BRIDLE/ LEG   SWEEP   Unknown   0   VES 1   VES 2   VES 2   VES 3   VE	kg							Other	9	Wireless	2	_	
TYPE   GROUND CABLE   BRIDLE/ LEG   SWEEP   Unknown   0	COMMENTS		GROUN	D GEAR								FISH OUTLET	
Unknown   0								MESH SIZE	mm	BRAND		USED? NO 0	_ YES 1
Chain   1			TYPE	GROUND CABL	E BR	RIDLE/ LEG	SWEEP			Unknown	0	-	
Cable / Wire   2			Unknowr	n 0						Furuno®	1	LENGTH	in
Wrapped Cable 3			Chain	1						Simrad®	2	_	
Rock Hopper 4										Other	9	WIDTH	in
Roller   5			Wrapped	l Cable 3									
Rubber Cookie 6			Rock Ho	pper 4								SHAPE	
Bobbin   7			Roller	5								Unknown	00
None 8			Rubber (	Cookie 6						LOCATION		Rectangular	
Other         9			Bobbin								0	Square	
NO 0   Footrope 3   Other 99   SWEEP GEAR			None							Headrope	1		07
YES 1			Other	9						Ü	2	-	
SWEEP GEAR         FLOATS         MESH SIZEmm         Other Combo         8LOCATION           Number in Diameter in Diameter in CHAFFING GEAR         STRENGTHENER # OF RECEIVERS         Side 3 Combination 8											3	Other	99
SWEEP GEAR         FLOATS         MESH SIZEmm         Other Combo 8 Unknown 0         LOCATION Unknown 0           Number in Diameter in Diameter in CHAFFING GEAR         STRENGTHENER NO 0 YES 1         Side 3           WESH SIZEmm         Other 9         Unknown 0           Top 1         Bottom 2           NO 0 YES 1         FLOATS								YES 1					
Number         Number         USED?         Other         9 Unknown         0           Diameter in         Diameter in         STRENGTHENER         Side         3           NO 0 YES 1         # OF RECEIVERS         Other         9           CHAFFING GEAR         # OF RECEIVERS         Other         9										Footrope	4		
Number         Number         USED?         Other         9 Unknown         0           Diameter in         Diameter in         STRENGTHENER         Side         3           NO 0 YES 1         # OF RECEIVERS         Other         9           CHAFFING GEAR         # OF RECEIVERS         Other         9				CWEED OF AD		FLOATO		MECHICIZE		Oth an Camba	0	LOCATION	
Number         Number         USED?         Top Bottom         1				SWEEP GEAR		FLOATS		MESH SIZE	mm				
Diameter in in in in in STRENGTHENER										Other	9		
Diameter in         Diameter in         STRENGTHENER NO 0 YES 1 # OF RECEIVERS         Side 3 Combination				Number		Number _		USED?					
NO 0 YES 1 # OF RECEIVERS Combination 8 9				D'a sastan		<b>D</b> '		OTDENIOTHENES					
# OF RECEIVERS Other 9				Diameter	in	Diameter_	ın						
CHAFFING GEAR								NO 0 YE		# OF BEOE!! "	-00		
l de la companya de								OLIAFEINIO OF A D		# OF RECEIVE	:KS	Otner	9
NO 0 YES 1													
								NO U YE	S 1				

LENGTH MEASUREMENTS

\_\_\_\_\_ft HUNG

NET BODY CODEND Headrope

CODEND